



PRODUCT SPECIFICATION

Diaphragm Seal for Homogenizer Machine

Model: DIHO



Type

Homogenizer seal, fishtail seal

Instrument connection

1/4, 3/8, 1/2

PT, G, NPT, M

Scale ranges

0 ... 100 bar to 0 ... 1000 bar, or all other equivalent pressure ranges

Material

Body:

304 SS, 316 SS, 316L SS

Diaphragm:

316L SS

Medium temperature

-35°C ... 260°C,

Accessories (Options)

Retainer flange (mounting block or sealing block)

PRODUCT DESCRIPTION




▼ Available with process connections in various designs, fitting with all common measuring points

▼ Designed to prevent aggressive or contaminating medium from entering a conventional pressure gauge

▼ Widely used on homogenizers such as those found in sanitary applications, production of cosmetics and creams, dairies, and the pharmaceutical industry

The product images displayed in the catalog are illustrative, and the actual products will be customized to your requirements.

DIMENSIONS





Gauging your needs!

ORDERING INFORMATION

Model / Type / Material / Connection location of pressure gauge / Nominal size / Scale range / Options

CONTACT INFORMATION

ADD : 3F.-3, No. 4, Ln. 609, Sec. 5, Chongxin Rd., Sanchong Dist., New Taipei City 241402 , Taiwan (R.O.C.)

TEL : +886-2-25504512

MAIL : info@sinjiagauge.com

WEB : www.sj-gauge.com

- For any changes to the specifications of this catalogue, the latest version shall prevail. -

Copyright © 2024 by SIN JIA ENTERPRISE CO., LTD. All rights reserved.