



Digital Pressure Gauge, Basic

Model: PRD-TG



PRODUCT DESCRIPTION


- ▼
Cost-effective digital pressure gauge with a short lead time
- ▼
Intuitive interface for easy operation
- ▼
For gaseous and liquid pressure media that are not highly viscous or crystallizing

PRODUCT SPECIFICATION

- Nominal size**
2.5"
- Pressure medium**
Non-corrosive gases and liquid
- Scale ranges**
5 ... 175 psi, The value starts to display after 0.21 kg/cm²
- Pressure units**
psi, bar, kPa, kg/cm²
- Accuracy**
±1.0% F.S.
- Process connection**
G1/4
- Resolution**
0.2% F.S. ... 0.5% F.S.
- Burst pressure**
1.6 MPa
- Medium temperature**
-10°C ... 50°C
- Display**
3.5 digits LCD, switchable backlight button
- Power supply**
AAA battery*2 (not included)

The product images displayed in the catalog are illustrative, and the actual products will be customized to your requirements.

DIMENSIONS





Gauging your needs!

CONTACT INFORMATION

ADD : 3F.-3, No. 4, Ln. 609, Sec. 5, Chongxin Rd., Sanchong Dist., New Taipei City 241402 , Taiwan (R.O.C.)

TEL : +886-2-25504512

MAIL : info@sinjiagauge.com

WEB : www.sj-gauge.com

- For any changes to the specifications of this catalogue,the latest version shall prevail. -

Copyright © 2024 by SIN JIA ENTERPRISE CO., LTD. All rights reserved.